#### APPENDIX A

# SPECIFICATIONS AND PRICING INFORMATION FOR

# PASSENGER VEHICLES & TRUCKS 2008 MODEL YEAR



Bill Snethkamp Dodge - MiDEAL

**Contract # 071B8200125** 

#### **DESCRIPTION**

MICH. SPEC. NO.

### STATE OF MICHIGAN DEPARTMENT OF MANAGEMENT AND BUDGET PURCHASING OPERATIONS

#### **INDEX TO**

### SPECIFICATIONS FOR **2008** PASSENGER VEHICLES & TRUCKS

<u>DESCRIPTION</u>	MICH. SPEC. NO.	PAGE NO
Passenger Vehicle Equipment	Preface	A
Truck Equipment	Preface	B-B1
Pre-Delivery Service	Preface	C-C1
Receiving Procedure	Preface	D

All vehicles must be new and of the manufacturer's current models in production at the time of delivery. All standard or optional equipment to be included shall be as advertised by the manufacturer (OEM) and factory installed and shall not consist of substitute or after market equipment. Special Edition Pricing Packages which may limit available options are not acceptable. Optional equipment not available from the factory may be dealer installed.

The <u>dealer's vehicle order confirmation sheet</u> listing all the standard options provided with the vehicle in accordance with the State of Michigan Specification shall be provided at each of these steps in the process:

- **☑** With dealers bid submittal to the State of Michigan
- **☑** With original quote from the dealer to the customer
- **☑** Upon delivery of the vehicle from the dealer to the customer
- oxdot Customer shall use as a check list when accepting the vehicle to verify all ordered options are included on the vehicle

### **DESCRIPTION**

### MICH. SPEC. NO.

Diesel Vehicles are indicated with a "D" at the end of the specification number. Alternative Fuel vehicles are indicated with a "A" at the end of the specification number.

### **PASSENGER VEHICLES**

Small, 4-Door Sedan, Auto. Trans.	3905-0002
Large-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0003
Alt Fuel - 4-Door Sedan, Auto. Trans.	3905-0003A
Mid-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0004
Large, Administrator Series, 4 -Door Sedan, Auto. Trans.	3905-0005
STATION WAGONS	
5-Passenger, Auto. Trans., 4 door	3905-0017
Multi Functional Utility Vehicle,	
5 Passenger, 4-Door, Auto. Trans., 4 door	3905-0018
Alt Fuel - 5 Passenger, Auto. Trans., 4 door	3905-0018A
6-7 Passenger, 4-Door, Auto. Trans.	3905-0019
TRUCKS, LIGHT DUTY	
Pick-Up, 7 Ft. Box, Standard Cab, Payload – 1,000 lbs., min.	3958-0020
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,260 lbs., min.	3958-0023
Pick-Up, 6 Ft. Box, Payload - 1,600 lbs., min., "Work Truck"	3958-0025
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026
Alt Fuel -Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min	3958-0027
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min.	3958-0027A
Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028
Alt Fuel - Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028A

DESCRIPTION	MICH. SPEC. NO.
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	3958-0029
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., mi	n. 3958-0029D
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0030
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs.,	min. 3958-0030A
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., m	nin. 3958-0030D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0031
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., m	in 3958-0031D
VANS, PASSENGER AND UTILITY	
Panel Van, Payload - 1,700 lbs., min.	3958-0032
Utility Vehicle, 4 Door, 5-6 Passenger, Payload 1,500 lbs., min.	3905-0034
Sport Van, 8 Passenger, Payload - 1,600 lbs., min.	3905-0035
Utility Vehicle, Large, 6-Passenger, Payload - 1,940 lbs., min.	3905-0036
Sport-Van, 12-Passenger, Payload - 2,649 lbs., min.	3905-0037
Panel Van, Payload - 3,100 lbs., min.	3958-0039
Van, 15-Passenger	3905-0040
Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042
Alt Fuel -Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042A
Van, Cargo, Compact, Front Wheel Drive	3958-0044
Van, 7 Passenger, Compact, Long Wheel Base, Front Wheel Drive	3905-0045
Alt Fuel -Van, 7 Passenger, Compact, Extended Body, Front Whee	l Drive 3905-0045A
TRUCKS, LIGHT DUTY	
Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min.	3958-0046
Diesel - Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs.,	min. 3958-0046D

<u>DESCRIPTION</u>	MICH. SPEC. NO.
Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min	3958-0047
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000	lbs., min. 3958-0047D
Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payload - 4,200 lbs., m	in. 3958-0048
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payld - 4,200 I	bs. 3958-0048D
Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049
Diesel - Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs.	. min. 3958-0049D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051D
VANS, COMMERCIAL	
Van, Commercial, 10-Passenger, Raised Roof, Payload - 3,200 lbs	s., min. 3905-0057
Van, Commercial, Cargo, Raised Roof, Payload - 4,800 lbs., min.	3905-0058
TRUCKS AND BODIES, MEDIUM DUTY	
Cab and Chassis, approx. 137" W.B., G.V.W.R. 10,000 lbs., Gas	3958-0072
Cab and Chassis, approx. 128" W.B., G.V.W.R. 12,500 lbs., Diese	958-0073
Dump Body and Hoist, 2 cu. yd.	3958-0074
Stake Body, 9 Ft.	3958-0075
Stake Body and Hydraulic Hoist, 9 Ft.	3958-0076
Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Ga	s 3958-0077
Diesel - Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs.,	min., Gas 3958-0077D
Cab and Chassis, approx. 152" W.B., Payload 6,675 lbs., min. Die	sel 3958-0078
Stake Body, 12 Ft.	3958-0079

<b>DESCRIPTION</b>	MICH. SPEC. NO.
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0080
TRUCKS, LIGHT DUTY, 4X4	
Utility Vehicle, 4 Door, Payload 900 lbs., min.	3958-0083
Alt Fuel - Utility Vehicle, 4 Door, 2 Wheel Drive, Payload – 900 l	bs., min. 3958-0083A
Pick-Up, 7 Ft. Box, Standard Cab, Payload 1,000 lbs., min.	3958-0084
Utility Vehicle, 4 Door, 6 Passenger, Payload 1,480 lbs., min.	3958-0085
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0086
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs.,	min. 3958-0086A
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0087
Alt Fuel -Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs.,	min. 3958-0087A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0088
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., m	nin. 3958-0088D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0089
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., m	nin. 3958-0089D
Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0090
Alt Fuel - Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs.,	min. 3958-0090A
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0091
Alt Fuel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs.,	min. 3958-0091A
Pick-Up, 8 Ft. Box, Standard Cab, Payload – 2,800 lbs., min.	3958-0092
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 2,800 lbs., m	in. 3958-0092D
Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093
Diesel - Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093D
Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min.	3905-0094

DESCRIPTION	MICH. SPEC. NO.
Alt Fuel - Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs	., min. 3905-0094A
TRUCKS, MEDIUM DUTY, 4X4	
Cab and Chassis, Body and Payload - approx. 13,000 lbs., min. 25,950 lbs. Min. G.V.W.R., Diesel engine	3958-0096
Cab and Chassis, approx. 137" W.B., G.V.W.R. 12,500 lbs., Diese Payload 5,800 lbs., min.	el 3958-0098
Cab and Chassis, approx. 161" W.B., G.V.W.R. 12,500 lbs., Diese Payload 5,930 lbs., min.	el 3958-0099
TRUCK, CUT-AWAY AND VAN BODY	
Truck, Cut-Away, 8,900 lbs. G.V.W.R.	3958-0100
Truck, Cut-Away, 10,000 lbs. G.V.W.R	3958-0101
Van Body, Cut-Away Aluminum	3958-0102
Van Body, Cut-Away, Fiberglass Reinforced Plastic (F.R.P.)	3958-0103
Van, Full Body, Aluminum	3958-0104
Van, Full Body, Fiberglass Reinforced Plastic F.R.P.	3958-0105
Truck, Cut-Away, 11,000 lbs. G.V.W.R	3958-0108
Truck, Cut-Away, 14,000 lbs. G.V.W.R	3958-0109
TRUCKS AND BODIES, HEAVY DUTY	
Cab and Chassis, approx. 128" W.B., G.V.W.R 14,500 lbs., Gas	3958-0110
Cab and Chassis, approx. 128" W.B., G.V.W.R 15,000 lbs., Diese	1 3958-0111
Cab and Chassis, approx. 140" W.B., G.V.W.R 14,000 lbs. Gas, (	4 x 4) 3958-0112
Cab and Chassis, approx 140" W.B., G.V.W.R 14,500 lbs., Diesel	, (4 x 4) 3958-0113
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Gas	3958-0114
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Diese	1 3958-0115
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Gas, (4)	4 x 4) 3958-0116

DESCRIPTION	MICH. SPEC. NO.
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Diesel,	(4 x 4) 3958-0117
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs Low P	Pro 3958-0134
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.	3958-0135
Cab and Chassis, approx. 152" W.B., G.V.W.R 23,500 lbs., Diesel	3958-0136
Stake Body, 12 Ft.	3958-0137
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0141
Dump Body and Hydraulic Hoist, 5-6 Yd.	3958-0158
Cab and Chassis, approx. 169" W.B., G.V.W.R 33,000 lbs. Diesel,	170 HP 3958-0160
Stake Body, 14 Ft.	3958-0161
TRUCKS AND BODIES, HEAVY DUTY	
Cab and Chassis, approx. 217" W.B., G.V.W.R 27,000 lbs. Diesel,	210 HP 3958-0164
Van Body, 20 Ft., Aluminum	3958-0165
Van Body, 20 Ft., Fiberglass Reinforced Plastic, F.R.P.	3958-0167
Cab and Chassis, approx. 112" W.B., G.V.W.R 44,000 lbs., Diesel Single Axle	3958-0170
Dump Body and Hydraulic Hoist, 6.5 cu. yd.	3958-0171
Cab and Chassis, approx. 211" W.B., G.V.W.R 64,000 lbs., Diesel Tandem Axle	3958-0172
Cab and Chassis, approx. 177" W.B., G.V.W.R 52,000 lbs., Diesel Tandem Axle	3958-0173
Dump Body and Hydraulic Hoist, 10-12 cu. yd.	3958-0174
<u>TRACTORS</u>	
70,000 lbs. G.C.W.R., Diesel Engine	3958-0178

<b>DESCRIPTION</b>	MICH. SPEC. NO.
TAIL GATES	
Hydraulic Power Tail Gate, 2,000 lbs. Capacity, 15,000 G.V.W.R., Conventional Type	3958-0215
Hydraulic Power Tail Gate, 3,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0216
Hydraulic Power Tail Gate, 4,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0217
Hydraulic Power Tail Gate, Various Capacities, 15,000 G.V.W.R., Stow Away Type	3958-0218
Hydraulic Tailgate, approx. 1,000 Lb. Capacity, 10,000 G.V.W.R. or less, (Step Van, Parcel Vans or Pick-Ups)	3958-0219
Hydraulic Tailgate, approx. 1,500 Lb. Capacity, (10,000 G.V.W.R. and smaller, stake body) Fold-Up Type Or Tuck-Away Type	3958-0220
Hydraulic Tailgate, 1,250 to 4,000 lb. Capacities, Rail Type	3958-0221

#### PASSENGER VEHICLE EQUIPMENT

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are <u>to be</u> furnished on all vehicles:

See individual specifications for MDOT specific options.

Air Bag, Dual

Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)

Air Conditioning.

Anti-freeze protection-to -30°F.

Battery-Maximum CCA available.

Brakes-Anti Locking System (ABS)

Color-Manufacturers Standard Color to be selected.

Defroster-Electric, rear window.

Floor Mats-Mfg. Stnd., front and rear, color coordinated.

Glass-Tinted, all around.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.

Lights, Daytime Running (If available from manufacturer as standard equipment)

Mirror-Right-hand, outside (factory installed).

Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.

Pre-delivery inspection and servicing.

Radio-AM/FM mfg. standard, factory installed.

Rear Axle Ratio for maximum mileage in highway driving.

Seats; Front, Split Bench or Bucket Type

Speed Control, factory installed

Steering-Power, Tilt Wheel.

Tires, Radial, Manufacturers Standard

Upholstery, Seats - Cloth or Cloth and Vinyl.

Wipers, Windshield - dual, intermittent, electric with automatic type washers.

### ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

#### TRUCK EQUIPMENT

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are <u>to be furnished on all vehicles:</u>

See individual specifications for MDOT specific options.

12 Volt auxiliary outlet

Air Conditioning - All trucks

Anti-freeze protection, to -30°F.

Arm Rest-Driver's side.

Color-Manufacturers Standard to be selected.

Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

Dome Light.

Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery. (Three sets for MDOT)

Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.

#### TRUCK EQUIPMENT (Continued)

Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.

Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.

Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.

Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.

Pre-delivery inspection and servicing.

Radio - AM/FM Manufacturers Standard, Factory Installed

Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)

Seats-Split Bench type, unless otherwise specified

Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.

Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.

Speed Control, Factory Installed

Steering-Power, Tilt Wheel

Sun visors-dual.

Jack-Furnish on trucks up to and including 12,000 G.V.W.R.

Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

Delete: On GM vehicles, OnStar and XM radio are deleted.

#### PRE-DELIVERY SERVICE

The term "Pre-Delivery Service and Inspection" as used in State of Michigan Specifications includes the following:

- 1. General appearance of body both interior and exterior for completeness and quality of workmanship.
- 2. Lubrication and fluid levels and correcting any leaks:
  - a. Radiator
  - b. Windshield Washer
  - c. Battery
  - d. Power steering pump
  - e. Brake master cylinder
  - f. Engine oil
  - g. Transmission fluid level.
- 3. Mechanical operation of vehicle:
  - a. Steering gear and linkage
  - b. Suspension assembly, front and rear
  - c. Proper tire pressure to normal rated road requirements
  - d. Hood latch
  - e. Head lights, aim and adjust
  - f. Front wheel toe in and torque wheel nuts
  - g. Seat and shoulder belts operative
  - h. All locks and latches to be operative
  - i. Windshield wiper and washer to be operative
  - j. Proper adjustment to all drive belts
- 4. A check of all electrical operations to include: headlights, side marker lights, temperature, alternator, oil pressure lights, parking lights, stop and tail lights, directional signals, emergency flasher and parking brake lights.
- 5. Miscellaneous items to be furnished:
  - a. Manufacturers Window Sticker shall not be removed from vehicle
  - b. Odometer Certification, and Vehicle Curb Weight at time of delivery
  - c. Manufacturers or Dealers Pre-Delivery Check Sheet
  - d. Vehicle shall have a Minimum of (4) Gallons of Fuel in tank when delivered
  - e. Warranty Plate and Operators Manual(s) shall be delivered with vehicle at no cost to the State of Michigan.

#### **PRE-DELIVERY SERVICE** (Continued)

6. Deliveries shall be between the hours of 8 AM and 3 PM. No Weekend or Holiday Deliveries will be accepted. Forty-eight (48) hour notice required prior to delivery.

It is intended that vehicles delivered in accordance with the Michigan specifications will be complete, including mechanical details, general workmanship and appearance, and shall be delivered complete with all warranty service books and identification plate.

Failure to adhere to specifications may be reason to delay payment.

#### **RECEIVING PROCEDURE**

It is important that all State agencies and departments carefully inspect all vehicles prior to signing the Freight Bill. If any vehicle is received in a damaged condition of component parts or accessories are missing, a notation of the discrepancy(ies) is to be made on the Freight Bill and then be signed by the driver who delivered the vehicles. A Complaint to Vendor Form should be initiated and sent to the vendor at once noting discrepancies. Failure to note obvious deficiencies at time of delivery on the Freight Bill may place the burden of repair on the receiving agency.

It is recommended that the following items be checked prior to signing the Freight Bill:

- 1. Visually inspect exterior of vehicle for paint, body, tire, tail light, antenna, outside rear view mirror and molding damage.
- 2. Visually inspect under hood for the following items:
  - a. Air cleaner
  - b. Battery and caps
  - c. Radiator cap
  - d. Windshield washer container.
- 3. Check for cracked or broken windows.
- 4. Check trunk compartment for the following:
  - a. Spare tire and wheel
  - b. Jack
  - c. Wheel wrench
  - d. Four hub caps
  - e. Trunk mat.
- 5. Check interior of vehicle for the following items:
  - a. Owner's manual and warranty material
  - b. Cigarette lighter
  - c. Two sets of keys (Three sets for MDOT)
  - d. Make sure all seat belts are installed
  - e. Sun visors
  - f. Upholstery damage or excessive soil.

It is the responsibility of the agency to check for any other items that could possibly have been missing in accordance with the purchase order and the specification data.

Mich. Spec. # 3905-0018 August 2007

### Multi-Functional Utility Vehicle, Front Wheel Drive, 5 Passenger, 4 Door, Automatic Transmission

#### MODEL-2008 CURRENT NEW

MAKE	<u>W.B.</u>	<b>ENGINE</b>	CYL.
Chevrolet HHR	103.5	2.2L	I-4
Ford Escape	103.1	2.3L	I-4
Jeep Liberty	104.2	2.8L	I-4
Jeep Patriot	103.7	2.4L	I-4
Pontiac Vibe	102.4	1.8L	I-4
Dodge Nitro	108.8	3.7L	V-6

#### TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ Air Bag, Dual
- ☑ Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
- ☑ Air Conditioning.
- ✓ Anti-freeze protection-to -30°F.
- ☑ Battery-Maximum CCA available.
- ☑ Brakes-Anti Locking System (ABS)
- ☑ Color-Manufacturers Standard Color to be selected.
- ☑ Defroster-Electric, rear window.
- ☑ Floor Mats-Mfg. Stnd., front and rear, color coordinated.
- ☑ Glass-Tinted, all around.
- $\square$  Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Lights, Daytime Running (If available from manufacturer as standard equipment)
- ☑ Mirror-Right-hand, outside (factory installed).

#### STANDARD FACTORY EQUIPMENT CONTINUED

- ☑ Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio-AM/FM mfg. standard, factory installed.
- ☑ Rear Axle Ratio for maximum mileage in highway driving.
- ☑ Seats; Front, Split Bench or Bucket Type
- ☑ Speed Control, factory installed
- ✓ Steering-Power, Tilt Wheel.
- ☑ Tires, Radial, Manufacturers Standard
- ☑ Upholstery, Seats Cloth or Cloth and Vinyl.
- ☑ Wipers, Windshield dual, intermittent, electric with automatic type washers.

Delete: On GM vehicles, OnStar and XM radio are deleted.

### ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

#### ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on all MDOT passenger vehicles.

- ☑ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☑ Locks; power with remote
- ☑ Traction Control

#### PRICING SHEET

Multi-Functional Utility Vehicle, Front Wheel Drive 5 Passenger, 4 Door, Automatic Transmission Mich. Spec. #3905-0018				
Standard Equipped Per above Specification	1		Standard Equipped Cost	
Make: Dodge Model: Nitro SXT 4x2  F.O.B Dealership			\$17,439.95*	
Delivery Cost Per Mile \$2.00				
Final Point of Assembly: Toledo, OH				
	Informa	<u>ation</u>		
Dealer Name: Bill Snethkamp Dodge, Inc.				
Street Address:				
6131 S. Pennsylvania Ave.				
City: Lansing	<b>State:</b>	MI	Zip: 48911	
Contact Name: Tony Sasso				
Telephone: (517) 394-1200				
Fax: (517) 394-1282				
Cell: (517) 490-7095				
E-mail: tsasso@snethkamp.com				

<sup>\*</sup>Please Note: A <u>vehicle order confirmation sheet</u> is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 8, 2007 14:51

VIN: -0018

VON:

Estimated Ship Date:

Order Status: BA

Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I

to: 6131 S PENNSYLVANIA

to: 6131 S PENNSYLVANIA LANSING, MI 48910

LANSING, MI 48910

KA1L74

2008 Dodge NITRO SXT 4X2

		'
	Equipment	Description
Model:	KA1L74	Dodge NITRO SXT 4X2
Package:	24B	Customer Preferred Package 24B
	EKG	3.7L V6 Engine
	DGV	4-Spd. Automatic VLP 42RLE Trans
Color:	PS2	Bright Silver Metallic Clear Coat
	APA	Monotone Paint
	*A7	Cloth Low-Back Bucket Seats
	-DV	Dark Slate Gray
Options:	AWQ	Fleet Comm Safety/Convenience Grp II
<del>-</del>	4FT	Fleet Sales Order
Discounts:	YGE	5 Additional Gallons of Gas
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive
Funds:	YDH	Customer One Owner Loyalty Mailing
	T11	DETROIT OUTSTATE - DAA
	B11	DETROIT OUTSTATE - PPA/EB-PF

Destination:

Total Price(USD):

Priority Code: 99

Fleet Account One: Fleet Account Two:

Client Code:

Special Bid Number: TT221013

PSP Week (month/week):

Purchase Order:

Customer Name:

Address:

Order Type:

Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Mich. Spec. # 3958-0083 August 2007

#### TRUCK: UTILITY 4-WHEEL DRIVE, 4-DOOR

(Payload-900 lbs., min.)

#### **MODEL-2008 CURRENT**

	JEEP LIBERTY <u>KJJH74</u>	CHEVROLET/GMC TRAILBLAZER/ENVOY <u>T15506</u>	CHEVROLET EQUINOX	FORD  EXPLORER	DODGE <u>NITRO</u>
G.V.W.R. (lbs.)	5,600	5,750	5,070	6,180	5600
Wheelbase (inches)	106.1	113.0	112.5	113.7	108.8
Engine: Gasoline Type & No. of Cylinders Net H.PS.A.E.	3.7L V-6 210	4.2L V-6 291	3.4L V-6 185	4.0L OHV V-6 210	3.7 V-6 210

Transmission: Automatic

w/2 speed transfer case, and maximum capacity transmission oil cooler.

Factory installed.

Tires, tubeless radial to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

Dodge: All season tires only

#### TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ 12 Volt auxiliary outlet
- ☑ Air Conditioning All trucks
- ☑ Anti-freeze protection, to -30°F.
- ☑ Arm Rest-Driver's side.
- ☑ Color-Manufacturers Standard to be selected.
- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.

- $\square$  Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15.000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ✓ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

#### **ADDITIONAL OPTIONS:**

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Battery-12 Volt, 500 CCA, minimum.
- **☑** Brakes-Power.
- ☑ Bumper-Rear, Mfg. Stnd.
- ☑ Defogger-rear window.
- ☑ Hubs-automatic locking type
- ☑ Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level,
- ☑ swing away type, 24 square inch minimum, Installed.
- ☑ Spare tire and wheel. Full Size. Mfg. Stnd. mounting.
- ☑ Steering-Power
- ☑ Top-Full, hard top.
- ☑ Wiper, Rear, w/Washer
- ☑ Wrench-wheel.

#### PRICING SHEET

	DDIVE 4 DOOD						
TRUCK: UTILITY 4-WHEEL DRIVE, 4-DOOR							
(Payload-900 lbs., min.)							
Mich. Spec. #3958-0083							
Standard Equipped Per above Specification (Including	ng Standard Equipped Cost						
options as specified above)							
Make: Dodge Model: Nitro SXT 4x4	\$18,914.95*						
F.O.B Dealership							
Delivery Cost Per Mile \$2.00							
Final Point of Assembly: Toledo, OH							
Dealer Informati	ion_						
Dealer Name:							
Bill Snethkamp Dodge, Inc.							
Street Address:							
6131 S. Pennsylvania Ave.							
City: Lansing State: M	MI Zip: 48911						
Contact Name: Tony Sasso	_						
Telephone: (517) 394-1200							
Fax: (517) 394-1282							
Cell: (517) 490-7095							
E-mail: tsasso@snethkamp.com							

<sup>\*</sup>Please Note: A <u>vehicle order confirmation sheet</u> is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 15, 2007 12:07

VIN: -0083

VON:

Estimated Ship Date:

Order Status: BA

Quantity: 01

Sold 66103 BILL SNETHKAMP'S LANSING DODGE I Ship 66103 BILL SNETHKAMP'S LANSING DODGE I to: 6131 S PENNSYLVANIA

to: 6131 S PENNSYLVANIA

LANSING, MI 48910

LANSING, MI 48910

**KA5L74** 

2008 Dodge NITRO SXT 4X4

	Equipment	Description		
Model:	KA5L74	Dodge NITRO SXT 4X4		
Package:	24B	Customer Preferred Package 24B		
	EKG	3.7L V6 Engine		
	DGA	4-Spd. Automatic VLP 42RLE Trans		
Color:	PS2	Bright Silver Metallic Clear Coat		
	APA	Monotone Paint		
e e	*A7	Cloth Low-Back Bucket Seats		
	-DV	Dark Slate Gray		
Options:	AWQ	Fleet Comm Safety/Convenience Grp II		
	4FT	Fleet Sales Order		
Discounts:	YGE	5 Additional Gallons of Gas		
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive		
Funds:	YDH	Customer One Owner Loyalty Mailing		
	T11	DETROIT OUTSTATE - DAA		
	B11	DETROIT OUTSTATE - PPA/EB-PF		
Destination:				

Total Price(USD):

Priority Code: 99

Fleet Account One: Fleet Account Two: Client Code:

Special Bid Number: PSP Week (month/week):

TT221013

Fleet

Purchase Order:

Customer Name:

Address:

Order Type:

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

APPENDIX B

NAME OF BIDDER: BILL S	NETHKAMP DODGE	ITEM NO(s) 00	083	<del></del>			
MAKE OF TRUCK DODG	E MODE	L: KA5174	GVWR <u>5000</u>	_lbs.			
DAYLOAD: 1418	W.B. 108.	8 C.A	C.E				
ENGINE: (GAS - DIESEL) GAS MAKE: DODGE MODEL: 3.7 SAE H.P. 210							
FUEL TANK(S) CAPACITY: 19.5 (GALS. TOTAL) TRANSMISSION: 24							
SPRING CAP. @ GROUND E	ACH: FRONT TBD	Ibs. REAR TBA	Ibs. AUX	lbs.			
AXLES: FRONT	Ibs. REAR	lbs. RE	AR RATIO _ 3.2/	, 			
ALTERNATOR: 140	amps. BATTERY _ <	200	cca.				
TIRE SIZE: FRONT	PR REAR	PR SINGLE	DUALM&S_				
TIRE: MAKE	STYLE NO	MFG. C	ODE TRY				
HOIST: MAKE	MODEL	INSTAI	LING CO.				
BODY:: MAKE							
POWER LIFT GATE: MAKE	:MODE	LCA	APACITY	lbs.			
	ORM SIZE:						
OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS							

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.